

The GoBright Connect is a unique – patented – piece of hardware that GoBright has developed itself, at any desk. With the Connect you control your desk and create your own personal space. The Connect has a glass top with LED lighting and is water-resistant. The Connect is a must-have in flexible office environments where hybrid working, activity-based working or hot desking are the norm.



OPTIMAL USE OF WORKPLACES

Ad hoc Desk Booking

Is a desk available? Simply make it yours by scanning the Connect with NFC / RFID card or use the GoBright Mobile App. Ideal in hybrid and hot desking environments.

Checking In/Out

Did you book a desk in advance? Check in by scanning the Connect so the entire GoBright platform knows the desk is occupied. And, once you've finished your work, check out via the Connect to free up the desk again.

Desk Occupation Data

Desk occupation data is collected and can be used to set up the office as efficiently as possible.

Personal Settings

Pre-set your personal sitting / standing height. One click on the Connect makes your desk change its height automatically. It is a follow-me system; every desk that you log into will take over your pre-sets. Switching between sitting and standing work is very important for your health. The Connect contributes to a healthy workplace.





'Find My Desk'

Use it in the App and the Connect starts flashing to indicate which desk is yours. Once checked in at a desk your colleagues know where to find you using the 'Find my colleague' function



DESK STATUS

The LED ring shows the status of a desk:

-  The desk is free and bookable.
-  The desk is occupied and non-bookable.
-  The desk is occupied, non-bookable, and the person at the desk does not want to be disturbed.
-  The desk needs cleaning.

Hygienic Desk

The colour Purple indicates that a desk needs to be cleaned before it can be used again. This way the facility manager can make decisions more effectively regarding the cleaning schedules.



REQUIRED ACCESSORIES



Licence

Desk management licence per desk.



Gateway

Multi gateway Mesh to Platform.



Connection Cable

Connection cable LINAK or USB.

OPTIONAL ACCESSORIES



Sensor

For reliable analysis data to realise most efficient use of all desks.



Glow

For extra visibility on partition walls and monitors.



Caddy

Place the Connect on top of a desk, instead of building it in.

More information? Visit: <https://gobright.com/desk-booking-system-work/connect/>

GOBRIGHT CADDY

We have developed this additional product especially for the Connect. When using the Caddy it is not necessary to make a hole in the desktop, assembly is a lot faster (especially in offices with hundreds of desks), making it even easier and more flexible to use the Connect.

From front to back, the Caddy rises slightly diagonally, in height. So the Connect is placed at an angle in the Caddy. As a result, the occupancy status of the desks is even better visible from a distance than when the Connect lies flat in the desk.



FUNCTIONS

| | |
|------------------------|---|
| LED ring | Free (green, Occupied (red), Do not Disturb (blue) |
| Sitting button | Go to personal sitting height |
| Standing button | Go to personal standing height |
| Up button | Desk goes up |
| Down button | Desk goes down |
| Middle button | One push: Do not Disturb |
| Save settings | Hold the middle button for three seconds and then push sitting or standing button: save personal sitting or standing height |



SPECIFICS

Article Number

DCF1-10P

GoBright Connect - 10 pack*

Accessories

BB-DS+M+A-001

GoBright desk manager licence per desk

CC1-LINAK-LP-10P

GoBright connection cable LINAK control box, LINAK powered and control box, 140 cm - 10 pack*

CC1-LINAK-USB-10p

GoBright connection cable LINAK control box, USB powered and control box, 140 cm - 10 pack*

DOSC1-10P

GoBright desk occupancy sensor, cabled - 10 pack*

GLC1-10P

GoBright Glow - 10 pack*

MGW211-DP24

GoBright multi gateway Mesh to GoBright platform

MGW211-DP28

GoBright multi gateway Mesh to GoBright platform PoE

CAD1

Desktop Caddy for GoBright Connect – black

Technics

Inputs

1 input for connection cable, 1 input for GoBright Glow

Networking

Mesh networking to GoBright multi gateway

Actuator systems

LINAK CBD6S control box, LINAK DL series (with DC T-splitter)

NFC/RFID

13.56 MHz ISO14443-3A(MIFARE), ISO14443-3B (FeliCa), ISO14443-3F and ISO15693, UID reading capable

Mounting

Mounting

In desk, diameter 80 mm

Thickness desk top

12 – 30 mm

Dimensions Connect

102 mm x 102 mm x 37 mm (L x W x H)

Installation depth

35 mm

General

Guarantee

1 year

CE-standardisation

Yes

*10 pack

One package contains 10 units

Specifications subject to change without notice.