

GOBRIGHT INTERACT PRODUCT INFORMATION

The GoBright Interact is a versatile and interactive hardware device developed by GoBright that can be used for both Room Booking and Desk Booking. It allows the user to create detailed bookings and view existing bookings. The GoBright Interact has a 3.46" LCD capacitive touch panel and a LED light to share visual information of the status of the resource.



FEATURES AND BENEFITS

Ad hoc Desk Booking

Is a room/desk available? Book the space. In combination with Microsoft Teams Rooms for Room Booking.

Checking In/Out

Did you book a room/desk in advance? Check in by scanning the Interact so the entire GoBright platform knows the room/desk is occupied.

Booking Information

Visbility is created with the display. See booking information and upcoming meetings.

Personal Settings (with Desk Booking)

Pre-set your personal sitting/standing height. One click makes your desk change height automatically. This way the Interact contributes to a healthy workplace.

WiFi Connection

The Interact is indispensible in flexible and hybrid work environments. It works on WiFi and thus can be installed in no-time.



ROOM/DESK STATUS

The LED ring shows the status of a room/desk:



The room/desk is reserved and check-in is needed.

The room/desk is occupied and non-bookable.

The desk is occupied, non-bookable, and the booker does not want to be disturbed.

The desk needs cleaning.

Mounting Options

The Interact can be mounted underneath or on top of a desk, on a partition wall, or on meeting room walls. Thanks to its compact design, the Interact is also perfect to attach to silence pods, office cabins, or other workspaces.





GOBRIGHT INTERACT PRODUCT INFORMATION

SPECIFICS

Article Number

INT1 GoBright Interact - 5 pack (one package contains 5 units)

Accessories

INT1-MOUNT-DESK

INT1-ADAPT-MULTI Power Adapter for Interact Device (EU/UK/US Plug)

PWR-CABLE-USB-C USB-C to DC jack Power Cable

Desk Slide-in Mount Kit for Interact Device **INT1-MOUNT-DESK**

Glass Mount Kit for Interact Device

PoE / Desk control extension for Interact Device*

External PIR Sensor for Interact Device*

Technics

USB-C

2.4 GHz WiFi and/or PoE**

LINAK CBD6S control box, LINAK DL series (with DC T-splitter)*

NFC and RFID 13.56 Mhz reader (ISO/IEC 14443A/B), supports, MIFARE NFC/RFID

4K/1K card (does not support ISO/IEC 15693 or MIRFARE Ultralight C)

Po5V@3A

Power source options Adapter, USB to jack cable and PoE**

General

1 year

Certifications CE, FCC, IC, MIC, BSMI, NCC

Mounting Options Desk, wall, and window

Dimensions Interact

10 centimeters 12.5 centimeters Depth 3.3 centimeters

3.46" LCD capacitive touch panel **Display Interact**

3.46" inches

Compatible Platforms

Microsoft Exchange/Office 365 and Google Workspace Room Booking

^{*}In development.

^{**}Applicable to PoE.