The GoBright Connect is a unique – patented – piece of hardware that GoBright has developed itself, at any desk. With the Connect you control your desk and create your own personal space. The Connect has a glass top with LED lighting and is water-resistant. The Connect is a must-have in flexible office environments where hybrid working, activity-based working or hot desking are the norm. The Connect is compatible with GoBright Glow.

OPTIMAL USE OF WORKPLACES

Ad hoc Desk Booking
Is a desk available? Simply make it yours by scanning the Connect with NFC / RFID card or use the GoBright Mobile App. Ideal in hybrid and hot desking environments.

Checking In/Out
Did you book a desk in advance? Check in by scanning the Connect so the entire GoBright platform knows the desk is occupied. And, once you've finished your work, check out via the Connect to free up the desk again.

Issue reporting
Through GoBright Connect, you can directly report an issue within the GoBright App or GoBright Portal.

Personal Settings
Pre-set your personal sitting / standing height. One click on the Connect makes your desk change its height automatically. It is a follow-me system; every desk that you log into will take over your pre-sets. Use the Connect to switch between sitting and standing regularly, to ensure a healthy and ergonomic working environment.

'Find My Desk'
Use it in the App and the Connect starts flashing to indicate which desk is yours. Once checked in at a desk your colleagues know where to find you using the 'Find my colleague' function

Desk Occupation Data
Desk occupation data is collected and can be used to set up the office as efficiently as possible.

DESK STATUS

The LED ring shows the status of a desk:

- 🟢 The desk is free and bookable.

- 🟡 The room/desk is reserved and check-in is needed.

- 🔴 The desk is occupied and non-bookable.

- 🔵 The desk is occupied, non-bookable, and the person at the desk does not want to be disturbed.

- 🟣 The desk needs cleaning.

Hygienic Desk
The colour purple indicates that a desk needs to be cleaned before it can be used again. This way, the facility manager can make more efficient decisions regarding cleaning schedules.

REQUIRED ACCESSORIES

Licence
Desk management licence per desk.

Gateway
Multi gateway Mesh to Platform.

Connection Cable
Connection cable LINAK or USB.

OPTIONAL ACCESSORIES

Sensor
For reliable occupancy data to realise optimal use of workplaces.

Glow
For extra visibility on partition walls and monitors.

Caddy
Place the Connect on top of a desk, instead of building it in.

More information? Visit: https://gobright.com/products/desk-booking-system/connect/

GOBRIGHT CADDY

We have developed this additional product especially for the Connect. When using the Caddy, it is not necessary to make a hole in the desktop. Assembly is a lot faster (especially in offices with hundreds of desks), making it even easier and more flexible to use the Connect.

The Caddy slightly slopes to the front, placing the Connect at an angle in the Caddy. As a result, the occupancy status of the desks is even better visible from a distance than when the Connect lies flat in the desk.

FUNCTIONS

LED ring	Free (green), Occupied (red), Do not Disturb (blue)
Sitting button	Go to personal sitting height
Standing button	Go to personal standing height
Up button	Desk goes up
Down button	Desk goes down
Center button	One push: Do not Disturb
Save settings	Hold the middle button for three seconds and then push sitting or standing button: save personal sitting or standing height

SPECIFICS

Article Number
DCF1   GoBright Connect - 10 pack*

Required
BB-DS+M+A-001   GoBright desk manager licence per desk

Accessories
CC1-LINAK-LP   GoBright connection cable LINAK control box, LINAK powered and
                              control box, 140 cm - 10 pack*
CC1-LINAK-USB   GoBright connection cable LINAK control box, USB powered and
                              control box, 140 cm - 10 pack*

DOSC1-10P   GoBright desk occupancy sensor, cabled - 10 pack*
GLU1   GoBright Glow - 5 pack**
MGW211-DP28   GoBright multi gateway Mesh to GoBright platform PoE
CAD1   Desktop Caddy for GoBright Connect – black

Technics
Inputs   1 input for connection cable, 1 input for GoBright Glow
Networking   Mesh networking to GoBright multi gateway
Actuator systems   LINAK CBD6S control box, LINAK DL series (with DC T-splitter)
NFC/RFID   13.56 MHz ISO14443-3A(MIFARE), ISO14443-3B (FeliCa), ISO14443-3F
                              and ISO15693, UID reading capable

Mounting
Mounting   In desk, diameter 80 mm
Thickness desk top   12 – 30 mm
Dimensions Connect   102 mm x 102 mm x 37 mm (L x W x H)
Installation depth   35 mm

General
Guarantee   1 year
CE-standardisation   Yes

*10 pack   One package contains 10 units
**5 pack   One package containt 5 units

Specifications subject to change without notice.