

The GoBright Interact is a versatile and interactive hardware device developed by GoBright that can be used for both Room Booking and Desk Booking. It allows the user to create detailed bookings and view existing bookings. The GoBright Interact has a 3.46" LCD capacitive touch panel and a LED light to share visual information of the status of the resource. The Interact is compatible with GoBright Glow.



## FEATURES AND BENEFITS

### Ad hoc Booking

Is a room or desk available? Book it direct via the GoBright Interact.

### Checking In/Out

Booked a room or desk in advance? Check in by scanning the Interact's QR-code or presenting your NFC tag so the entire GoBright platform knows the room/desk is occupied.

### Booking Information

Visibility is created with the display. See booking information and upcoming meetings.

### Built-in sensors

The Interact has a built-in sensor to measure the occupancy.

### Personal Settings (with Desk Booking)

Pre-set your personal sitting/standing height. One click makes your desk change height automatically. This way the Interact contributes to a healthy workplace. The Interact uses Linak, LOGICDATA and Jiechang for adjusting height.

### WiFi and Ethernet Connection

The Interact is indispensable in flexible and hybrid work environments. Works on Wi-Fi and Ethernet (with PoE support).






### Issue reporting

Through GoBright Interact, you can directly report an issue within the GoBright App or GoBright Portal.




## ROOM/DESK STATUS

The LED ring shows the status of a room/desk:

-  The room/desk is free and bookable.
-  The room/desk is reserved and check-in is needed.
-  The room/desk is occupied and non-bookable.
-  The desk is occupied, non-bookable, and the booker does not want to be disturbed.
-  The desk needs cleaning.

### Mounting Options

The Interact can be mounted underneath or on top of a desk, on a partition wall, or on meeting room walls. Thanks to its compact design, the Interact is also perfect to attach to silence pods, office cabins, or other workspaces.



## OPTIONAL ACCESSORY

### Expansion Box

The Expansion Box for GoBright's Interact provides additional functionality and capabilities for the GoBright Interact. The Expansion Box can serve various functions depending on the specifications and requirements of the system.

The Expansion Box provides network functionality via Ethernet (PoE) connectivity. Receive power from the desk and Desk Control. And it's compatible with LOGICDATA, LINAK, OMT and Jiechang.

The Expansion Box is optional when you have Desk Control and a PoE connection.



## SPECIFICS

### Article Number

INT1 GoBright Interact - 5 pack (one package contains 5 units)

### Required

GB-ROOM Room Booking licence, per room  
GB-DESK Desk Booking licence, per desk

### Accessories

INT1-PC-EU Power Control Plug for Interact (EU plug)  
INT1-PC-US Power Control Plug for Interact (US plug)  
INT1-PC-UK Power Control Plug for Interact (UK plug)  
INT1-ADAPT-MULTI Power Adapter for Interact Device (EU/UK/US Plug)  
PWR-CABLE-USB-C USB-C to DC jack Power Cable  
INT1-MOUNT-DESK Desk Slide-in Mount Kit for Interact Device  
INT1-MOUNT-GLASS Glass Mount Kit for Interact Device  
INT1-POE-DESK PoE / Desk control Expansion Box for Interact Device  
INT1-CABLE-LINAK LINAK Desk Control Cable for Interact Expansion Box  
INT1-CABLE-LOGICCB LOGICDATA CB Desk Control Cable for Interact Expansion Box  
INT1-CABLE-JIECANG Jiecang Desk Control Cable for Interact Expansion Box\*  
GLU1 Desk Glow Device USB-C for Interact Device  
- External Sensor for Interact Device\*

### Services

INT1-EW3 Interact Booking Device Extended Warranty to 3 years  
INT1-EW4 Interact Booking Device Extended Warranty to 4 years  
INT1-EW5 Interact Booking Device Extended Warranty to 5 years

### Technics

Inputs USB-C  
Networking 2.4 GHz WiFi and/or PoE\*\*  
Actuator systems LINAK CBD6S control box, LINAK DL series (with DC T-splitter)  
NFC/RFID NFC and RFID 13.56 Mhz reader (ISO/IEC 14443A/B), supports, MIFARE 4K/1K card (does not support ISO/IEC 15693 or MIFARE Ultralight C)  
Power Po5V@3A  
Power source options Adapter, USB to jack cable and PoE\*\*

### General

Guarantee 1 year (additional warranty available for 3, 4 or 5 years – see: Services)  
Certifications CE, FCC, IC, MIC, BSMI, NCC

### Mounting Options

Desk, wall, and window

*\*In development.*

*\*\*Applicable to Expansion Box.*